

**REMARKS**

Upon entry of the foregoing amendment, claims 1-8 and 10-19 will be pending in the application. Applicants enclose herewith the formal drawings. Applicants respectfully solicit allowance of claims 1-8 and 10-19.

Respectfully submitted,  
RENNER, OTTO, BOISSELLE & SKLAR, LLP

By: Heidi A. Boehlefeld  
Heidi A. Boehlefeld  
Reg. No. 34,296

1621 Euclid Avenue  
19<sup>th</sup> Floor  
Cleveland, Ohio 44115-2191  
(216) 621-1113

## APPENDIX

1. A halogen-free, multilayered heat shrink film comprising (A) a core layer comprising a copolymer of ethylene or propylene with an alpha olefin containing from about 3 to about 12 carbon atoms, [and] the core having an upper and lower surface, (B) a skin layer on the upper surface of the core layer, wherein the skin layer comprises a polyolefin or polyolefin blend and (C) a printable layer having an upper surface and lower surface, and comprising a blend of a polyolefin and a soft polar additive, wherein the upper surface of the printable layer is in contact with[on] the lower surface of the core layer, and wherein the shrinkage of the film is at least about 30%.
10. The film of claim [9] 1 wherein the polyolefin of (C) is an ethylene or propylene homopolymer or a copolymer of ethylene and propylene.
11. A halogen-free, multilayered heat shrink film comprising (A) a core layer comprising a blend of (1) a copolymer of ethylene or propylene with an alpha olefin and (2) a homopolymer of an olefin, and having an upper and lower surface, (B) a skin layer on the upper surface of the core layer, wherein the skin layer comprises a polyolefin homopolymer of a blend of a polyolefin homopolymer and a copolymer of ethylene or propylene and an alpha olefin and (C) a printable layer having an upper surface and a lower surface wherein the upper surface of the printable layer is in contact with [on] the lower surface of the core layer, wherein the printable layer comprises a blend of a polyolefin and a soft polar additive, and wherein the shrinkage of the film is at least about 35%.
14. The film of claim 11 wherein the polyolefin homopolymer of (B) is polypropylene or polybutene and the copolymer is a propylene butene copolymer.

